Second Regular Session - 2012

Moved	by	Chew
-------	----	------

Seconded by Wood (27)

IN THE HOUSE OF REPRESENTATIVES HOUSE AMENDMENT TO H.B. NO. 502

AMENDMENT TO SECTION 1

On page 4 of the printed bill, delete lines 34 through 50; and on page 5, delete lines 1 through 22, and insert:

- "a. Any compound structurally derived from 3-(1-naphthoyl) indole or 1H-indol-3- yl-(1-naphthyl) methane by substitution at the nitrogen atom of the indole ring by alkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl or 2-(4-morpholinyl)ethyl to any extent, whether or not further substituted in the indole ring to any extent, whether or not substituted in the naphthyl ring to any extent.
- b. Any compound structurally derived from 3-(1-naphthoyl)pyrrole by substitution at the nitrogen atom of the pyrrole ring by alkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl or 2-(4-morpholinyl)ethyl to any extent, whether or not further substituted in the pyrrole ring to any extent, whether or not substituted in the naphthyl ring to any extent.
- c. Any compound structurally derived from 1-(1-naph-thylmethyl)indene by substitution at the 3-position of the indene ring by alkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl or 2-(4-morpholinyl)ethyl to any extent, whether or not further substituted in the indene ring to any extent, whether or not substituted in the naphthyl ring to any extent.
- d. Any compound structurally derived from 3-pheny-lacetylindole by substitution at the nitrogen atom of the indole ring with alkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl or 2-(4-morpholinyl)ethyl to any extent, whether or not further substituted in the indole ring to any extent, whether or not substituted in the phenyl ring to any extent.
- e. Any compound structurally derived from 2-(3-hydrox-ycyclohexyl)phenol by substitution at the 5-position of the phenolic ring by alkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl or 2-(4-morpholinyl)ethyl to any extent, whether or not substituted in the cyclohexyl ring to any extent.
- f. Any compound structurally derived from 3-(benzoyl)indole structure with substitution at the nitrogen atom of the indole ring by alkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl, 1-(N-methyl-2-piperidinyl)methyl or

2 — (4-morpholinyl) ethyl to any extent, whether or not further substituted in the indole ring to any extent and whether or not substituted in the phenyl ring to any extent.".